Author Index

Akiyama, A., see Wu, C. 684(1994)243
Arezzini, L., see Terzuoli, L. 684(1994)350
Arvidsson, T., see Stålberg, O. 684(1994)213
Aue, W.A., see Thurbide, K.B. 684(1994)259
Bello, M.S., Capelli, L. and Righetti, P.G.
Dependence of the electroosmotic mobility on the applied electric field and its reproducibility in capillary electrophoresis 684(1994)311
Bradshaw, J.S., see Petersson, P. 684(1994)297
Caixach, J., see Pauné, F. 684(1994)289
Capelli, L., see Bello, M.S. 684(1994)311
Carlsson, B., see Josefsson, M. 684(1994)23
Carr, P.W., see McNeff, C. 684(1994)201
Casabianca, H. and Graff, J.B.
Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360
Cohen, N. and Grushka, E.
Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323
DeLange, B., see Newburger, J. 684(1994)1
Espadaler, I., see Pauné, F. 684(1994)289
Fischer, G., see Küllertz, G. 684(1994)329
Fischer, J. and Jandera, P.
Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino- bonded stationary phases 684(1994)77
Fritsch, H., Molnar, I. and Wurl, M.
Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65
Fukui, M., see Kasuya, F. 684(1994)93
Fukushi, K. and Hiiro, K.
Behaviour of periodate ion in isotachophoresis using cyclodextrins 684(1994)343
Galaev, I.Yu., Garg, N. and Mattiasson, B.
Interaction of Cibacron Blue with polymers: implications for polymer-shielded dye-affinity chromatography of phosphofructokinase from baker's yeast 684(1994)45
Galaev, I.Yu., Warrol, C. and Mattiasson, B.
Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37
Gan, J., Yates, S.R., Spencer, W.F. and Yates, M.V.
Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121
Garg, N., see Galaev, I.Yu. 684(1994)45
Gill, D.S., Roush, D.J. and Willson, R.C.
Presence of a preferred anion-exchange binding site on cytochrome b_5: structural and thermodynamic considerations 684(1994)55
Graff, J.B., see Casabianca, H. 684(1994)360
Grimme, L.H., see Thies, F. 684(1994)168
Grushka, E., see Cohen, N. 684(1994)323
Guiochon, G., see Newburger, J. 684(1994)1
Héron, S., see Tchapla, A. 684(1994)175
Hiiro, K., see Fukushi, K. 684(1994)343
Hyun, M.H., Yang, D.H., Kim, H.J. and Ryoo, J.-J.
Mechanistic evaluation of the resolution of α-amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189
Igarashi, K., see Kasuya, F. 684(1994)93
Jandera, P., see Fischer, J. 684(1994)77
Josefsson, M., Carlsson, B. and Norlander, B.
Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23
Kasuya, F., Igarashi, K. and Fukui, M.
Evaluation of liquid chromatography–ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93
Kim, H.J., see Hyun, M.H. 684(1994)189
Kirsch, N.H. and Stan, H.-J.
Gas chromatographic–mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277
Kuehl, D.W., Serrano, J. and Naumann, S.
Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic–thermospray mass spectrometric characterization of in vitro DNA adducts 684(1994)113
Küllertz, G. and Fischer, G.
Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329
Kunath, A., Theil, F. and Wagner, J.
Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentanediols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162
Lagoutte, D., Lombard, G., Nisseron, S., Papet, M.P. and Saint-Jalm, Y.
Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251
Läufer, K., Lehmann, J., Petry, S., Scheuring, M. and Schmidt-Schuchardt, M.
Simple, inexpensive system for using thin-layer chromatography for micro-preparative purposes 684(1994)370
Lee, M.L., see Petersson, P. 684(1994)297
Lehmann, J., see Läufer, K. 684(1994)370
Liao, J.-L. and Zhang, R.
Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143
Lin, C., see Zhang, X. 684(1994)354

Author Index

Akiyama, A., see Wu, C. 684(1994)243
Arezzini, L., see Terzuoli, L. 684(1994)350
Arvidsson, T., see Stålberg, O. 684(1994)213
Aue, W.A., see Thurbide, K.B. 684(1994)259
Bello, M.S., Capelli, L. and Righetti, P.G.
Dependence of the electroosmotic mobility on the applied electric field and its reproducibility in capillary electrophoresis 684(1994)311
Bradshaw, J.S., see Petersson, P. 684(1994)297
Caixach, J., see Pauné, F. 684(1994)289
Capelli, L., see Bello, M.S. 684(1994)311
Carlsson, B., see Josefsson, M. 684(1994)23
Carr, P.W., see McNeff, C. 684(1994)201
Casabianca, H. and Graff, J.B.
Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360
Cohen, N. and Grushka, E.
Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323
DeLange, B., see Newburger, J. 684(1994)1
Espadaler, I., see Pauné, F. 684(1994)289
Fischer, G., see Küllertz, G. 684(1994)329
Fischer, J. and Jandera, P.
Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino- bonded stationary phases 684(1994)77
Fritsch, H., Molnar, I. and Wurl, M.
Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65
Fukui, M., see Kasuya, F. 684(1994)93
Fukushi, K. and Hiiro, K.
Behaviour of periodate ion in isotachophoresis using cyclodextrins 684(1994)343
Galaev, I.Yu., Garg, N. and Mattiasson, B.
Interaction of Cibacron Blue with polymers: implications for polymer-shielded dye-affinity chromatography of phosphofructokinase from baker's yeast 684(1994)45
Galaev, I.Yu., Warrol, C. and Mattiasson, B.
Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37
Gan, J., Yates, S.R., Spencer, W.F. and Yates, M.V.
Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121
Garg, N., see Galaev, I.Yu. 684(1994)45
Gill, D.S., Roush, D.J. and Willson, R.C.
Presence of a preferred anion-exchange binding site on cytochrome b_5: structural and thermodynamic considerations 684(1994)55
Graff, J.B., see Casabianca, H. 684(1994)360
Grimme, L.H., see Thies, F. 684(1994)168
Grushka, E., see Cohen, N. 684(1994)323
Guiochon, G., see Newburger, J. 684(1994)1
Héron, S., see Tchapla, A. 684(1994)175
Hiiro, K., see Fukushi, K. 684(1994)343
Hyun, M.H., Yang, D.H., Kim, H.J. and Ryoo, J.-J.
Mechanistic evaluation of the resolution of α-amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189
Igarashi, K., see Kasuya, F. 684(1994)93
Jandera, P., see Fischer, J. 684(1994)77
Josefsson, M., Carlsson, B. and Norlander, B.
Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23
Kasuya, F., Igarashi, K. and Fukui, M.
Evaluation of liquid chromatography–ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93
Kim, H.J., see Hyun, M.H. 684(1994)189
Kirsch, N.H. and Stan, H.-J.
Gas chromatographic–mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277
Kuehl, D.W., Serrano, J. and Naumann, S.
Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic–thermospray mass spectrometric characterization of in vitro DNA adducts 684(1994)113
Küllertz, G. and Fischer, G.
Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329
Kunath, A., Theil, F. and Wagner, J.
Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentanediols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162
Lagoutte, D., Lombard, G., Nisseron, S., Papet, M.P. and Saint-Jalm, Y.
Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251
Läufer, K., Lehmann, J., Petry, S., Scheuring, M. and Schmidt-Schuchardt, M.
Simple, inexpensive system for using thin-layer chromatography for micro-preparative purposes 684(1994)370
Lee, M.L., see Petersson, P. 684(1994)297
Lehmann, J., see Läufer, K. 684(1994)370
Liao, J.-L. and Zhang, R.
Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143
Lin, C., see Zhang, X. 684(1994)354

Lin, J.-Y. and Yang, M.-H.
N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective $\pi-\pi$ interaction site on the chiral stationary phase 684(1994)13
Liu, L., see Zhang, X. 684(1994)354
Lombard, G., see Lagoutte, D. 684(1994)251
Lonkar, S.T., see Patil, S.F. 684(1994)133
Malik, A., see Petersson, P. 684(1994)297
Mao, J., Pacheco, C.R., Traficante, D.D. and Rosen, W.
Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography–mass spectrometry–ultraviolet spectrometry methods 684(1994)103
Marinello, E., see Terzuoli, L. 684(1994)350
Markides, K.E., see Petersson, P. 684(1994)297
Mattiasson, B., see Galaev, I.Yu. 684(1994)37
Mattiasson, B., see Galaev, I.Yu. 684(1994)45
McNeff, C., Zhao, Q. and Carr, P.W.
High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201
Molnar, I., see Fritsch, H. 684(1994)65
Naumann, S., see Kuehl, D.W. 684(1994)113
Newburger, J., DeLange, B. and Guiochon, G.
New hybrid displacement technique for preparative liquid chromatography 684(1994)1
Nisseron, S., see Lagoutte, D. 684(1994)251
Norlander, B., see Josefsson, M. 684(1994)23
Pacheco, C.R., see Mao, J. 684(1994)103
Pagani, R., see Terzuoli, L. 684(1994)350
Pandolfi, M.L., see Terzuoli, L. 684(1994)350
Papet, M.P., see Lagoutte, D. 684(1994)251
Patil, S.F. and Lonkar, S.T.
Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133
Pauné, F., Rivera, J., Espadaler, I. and Caixach, J.
Determination of polychlorinated biphenyls in sewage sludges from Catalonia (N.E. Spain) by high-resolution gas chromatography with electron-capture detection 684(1994)289
Petersson, P., Reese, S.L., Yi, G., Yun, H., Malik, A., Bradshaw, J.S., Rossiter, B.E., Lee, M.L. and Markides, K.E.
Evaluation of β-cyclodextrin-based chiral stationary phases for capillary column supercritical fluid chromatography 684(1994)297
Petry, S., see Läufer, K. 684(1994)370
Pfäffli, P.
Determination of low concentrations of trimellitic anhydride in air 684(1994)269
Pizzichini, M., see Terzuoli, L. 684(1994)350
Qiao, G., see Zhang, X. 684(1994)354
Reese, S.L., see Petersson, P. 684(1994)297
Reid, R.H.P.
Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221
Righetti, P.G., see Bello, M.S. 684(1994)311
Rivera, J., see Pauné, F. 684(1994)289
Rosen, W., see Mao, J. 684(1994)103
Rossiter, B.E., see Petersson, P. 684(1994)297
Roush, D.J., see Gill, D.S. 684(1994)55
Rustum, A.M.
Separation of the $R(-)$- and $S(+)$-enantiomers of the ethyl ester of tiagabine · HCl using a Chiralcel-OG column 684(1994)29
Ryoo, J.-J., see Hyun, M.H. 684(1994)189
Saint-Jalm, Y., see Lagoutte, D. 684(1994)251
Scheuring, M., see Läufer, K. 684(1994)370
Schmidt-Schuchardt, M., see Läufer, K. 684(1994)370
Serrano, J., see Kuehl, D.W. 684(1994)113
Šlais, K.
Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149
Spencer, W.F., see Gan, J. 684(1994)121
Stålberg, O. and Arvidsson, T.
Liquid chromatographic determination of ethylenediaminetetraacetic acid as metal complexes on a porous graphitic carbon column 684(1994)213
Stan, H.-J., see Kirsch, N.H. 684(1994)277
Straub, J.A., see Wu, C. 684(1994)243
Tchapla, A. and Héron, S.
Property–structure relationship of solute–stationary phase complexes occurring in a molecular mechanism by penetration of eluite in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175
Terzuoli, L., Pizzichini, M., Arezzini, L., Pandolfi, M.L., Marinello, E. and Pagani, R.
Separation and determination of allantoin, uric acid, hydantoin and urea 684(1994)350
Theil, F., see Kunath, A. 684(1994)162
Thies, F. and Grimme, L.H.
In vivo O-dealkylation of resorufin and coumarin ethers by the green alga *Chlorella fusca* analysed by a rapid and sensitive high-performance liquid chromatographic assay 684(1994)168
Thurbide, K.B. and Aue, W.A.
Reactive-flow luminescence detector for gas chromatography 684(1994)259
Traficante, D.D., see Mao, J. 684(1994)103
Ushio, T. and Yamamoto, K.
High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235

Wagner, J., see Kunath, A. 684(1994)162
Warrol, C., see Galaev, I.Yu. 684(1994)37
Willson, R.C., see Gill, D.S. 684(1994)55
Wu, C., Akiyama, A. and Straub, J.A.
High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α-ketoamide calpain inhibitors 684(1994)243
Wurl, M., see Fritsch, H. 684(1994)65
Yamamoto, K., see Ushio, T. 684(1994)235
Yang, D.H., see Hyun, M.H. 684(1994)189
Yang, M.-H., see Lin, J.-Y. 684(1994)13
Yasuhara, A.
Determination of tris(2-chloroethyl) phosphate in leachates from landfills by capillary gas chromatography using flame photometric detection 684(1994)366
Yates, M.V., see Gan, J. 684(1994)121
Yates, S.R., see Gan, J. 684(1994)121
Yi, G., see Petersson, P. 684(1994)297
Yun, H., see Petersson, P. 684(1994)297
Zhang, R., see Liao, J.-L. 684(1994)143
Zhang, X., Lin, C., Liu, L. and Qiao, G.
Determination of platinum by ion-pair reversed-phase high-performance liquid chromatography with 4,4′-bis(dimethylamino)thiobenzophenone 684(1994)354
Zhao, Q., see McNeff, C. 684(1994)201